

Cesya Collection  
Outdoor Wall 1 Light LED AZ  
49436AZ (Architectural Bronze)

Project Name: \_\_\_\_\_  
Location: \_\_\_\_\_  
Type: \_\_\_\_\_  
Qty: \_\_\_\_\_  
Comments: \_\_\_\_\_



### Dimensions

|        |        |
|--------|--------|
| Height | 18.00" |
| Width  | 6.00"  |

### Ordering Information

|            |                      |
|------------|----------------------|
| Product ID | 49436AZ              |
| Finish     | Architectural Bronze |
| Collection | Cesya Collection     |

### Dimensions

|                                    |              |
|------------------------------------|--------------|
| Extension                          | 4.75"        |
| Height from center of Wall opening | 9.00"        |
| Base Backplate                     | 18.00 X 6.00 |
| Weight                             | 5.00 LBS     |

### Photometrics

|                       |        |
|-----------------------|--------|
| Kelvin Temperature    | 3000 K |
| Color Rendering Index | 80     |

### Specifications

|                      |                     |
|----------------------|---------------------|
| Material             | Aluminum            |
| Diffuser Description | Clear Polycarbonate |

### Electrical

|               |                |
|---------------|----------------|
| Voltage       | 120-277 V      |
| Input Voltage | Dual (120/140) |

### Qualifications

|                    |  |
|--------------------|--|
| Safety Rated       | Wet  |
| Class 2            | Yes  |
| Expected Life Span | 40000 Hours  |
| Warranty           | <a href="http://www.kichler.com/warranty">www.kichler.com/warranty</a> |

### Primary Lamping

|                        |            |
|------------------------|------------|
| Light Source           | LED        |
| Lamp Included          | Integrated |
| # of Bulbs/LED Modules | 1          |
| Delivered Lumens       | 550        |
| Delivered Efficacy     | 22         |
| Max or Nominal Watt    | 25W        |

**Notes:**

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.